

INLINE® 19" RACK FOR UNDER-TABLE MOUNTING



Discover our 19" rack for under-table mounting - the space-saving solution for professional IT and audio setups. Select the desired height unit from 1 to 4 U for optimum space utilisation to suit your application. The high-quality finish provides a stable hold for your equipment. Easy mounting under the table for a clean, tidy arrangement without wasting space. This rack is perfect for studios, server rooms and offices where efficiency and aesthetics are equally important. Give your technology a professional touch with our 19" under-desk rack - your reliable partner for an organised and effective working environment.

Content of delivery:


- 4x M6 screws with wall plugs and washers
- 4x 6x25mm wood screws
- M6 screw set, cage nuts, washers



Art. Nr.	Height unit	EAN
19105A	1 U	4043718319374
19105B	2 U	4043718319381
19105C	3 U	4043718319398
19105D	4 U	4043718319404



INLINE® 19" RACK FOR UNDER-TABLE MOUNTING, 1U, BLACK



NOTE:

- Material:SPCC
- 1U bracket for 19 inch components
- max. load capacity: 56 kg
- Operating Temperature:-40 ~+80°C
- Storage Temperature:-40 ~+85°C
- RoHS 2011/65/EU and amendment directives (EU) 2015/863 compliant;REACH 1907/2006/EC compliant.
- Accessory:M6 set*4+M6 Wall anchor*4set+ M6*25 Self-propelled wood screws*4

Technical Data


Brand:	InLine®
Colour:	Black (RAL9005)
Demountable:	No
Height unit:	1 U
Manufacturer No.:	19105A
Operation temperature:	-40 to +80 °C
Recommended maximum load:	10 kg
Storage temperature:	-40 to +85 °C

EAN: 4043718319374

ART.-NR.: 19105A



INLINE® 19" RACK FOR UNDER-TABLE MOUNTING, 2U, BLACK



NOTE:


- Material:SPCC
- 2U bracket for 19 inch components
- max. load capacity: 56 kg
- Operating Temperature:-40 ~+80°C
- Storage Temperature:-40 ~+85°C
- RoHS 2011/65/EU and amendment directives (EU) 2015/863 compliant;REACH 1907/2006/EC compliant.
- Accessory:M6 set*8+M6 Wall anchor*4set+ M6*25 Self-propelled wood screws*4

EAN: 4043718319381
ART.-NR.: 19105B

Technical Data	
Brand:	InLine®
Colour:	Black (RAL9005)
Demountable:	No
Height unit:	2 U
Manufacturer No.:	19105B
Operation temperature:	-40 to +80 °C
Recommended maximum load:	10 kg
Storage temperature:	-40 to +85 °C



INLINE® 19" RACK FOR UNDER-TABLE MOUNTING, 3U, BLACK



NOTE:

- Material:SPCC
- 3U bracket for 19 inch components
- max. load capacity: 56 kg
- Operating Temperature:-40 ~+80°C
- Storage Temperature:-40 ~+85°C
- RoHS 2011/65/EU and amendment directives (EU) 2015/863 compliant;REACH 1907/2006/EC compliant.
- Accessory:M6 set*12+M6 Wall anchor*4set+ M6*25 Self-propelled wood screws*4


Technical Data

Brand:	InLine®
Colour:	Black (RAL9005)
Demountable:	No
Height unit:	3 U
Manufacturer No.:	19105C
Operation temperature:	-40 to +80 °C
Recommended maximum load:	10 kg
Storage temperature:	-40 to +85 °C

EAN: 4043718319398
ART.-NR.: 19105C



INLINE® 19" RACK FOR UNDER-TABLE MOUNTING, 4U, BLACK



NOTE:

- Material:SPCC
- 4U bracket for 19 inch components
- max. load capacity: 56 kg
- Operating Temperature:-40 ~+80°C
- Storage Temperature:-40 ~+85°C
- RoHS 2011/65/EU and amendment directives (EU) 2015/863 compliant;REACH 1907/2006/EC compliant.
- Accessory:M6 set*16+M6 Wall anchor*4set+ M6*25 Self-propelled wood screws*4

Technical Data

Brand:	InLine®
Colour:	Black (RAL9005)
Demountable:	No
Height unit:	4 U
Manufacturer No.:	19105D
Operation temperature:	-40 to +80 °C
Recommended maximum load:	10 kg
Storage temperature:	-40 to +85 °C

EAN: 4043718319404
ART.-NR.: 19105D