



(https://de.assmann.shop/en/)



Keyword / article no. / EAN / part no.

Latest arrivals (https://de.assmann.shop/en/Latest-arrivals/) Highlights (https://de.assmann.shop/en/Highlights/) SALE% (https://de.assmann.shop/en/special-offers/)

Product Categories

You are here: | Computer and Office (https://de.assmann.shop/en/Computer-and-Office/) | KVM Switches (https://de.assmann.shop/en/Computer-and-Office/KVM-Switches/)



(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)



(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)

(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)

(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)

(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)

(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)

(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)

(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)

(https://de.assmann.shop/out/pictures/master/product/1/DS12860_4016032467168_Front_1_RGB.jpg)

Digitus KVM Switch, 2 Port, Dual Display, 4K, HDMI®

Product number: DS-12860

EAN: 4016032467168

Desktop HDMI KVM Switch

Operate 2 PCs with dual display using a USB keyboard and mouse combination – switch between two computers by pressing a button

- Use two monitors, a mouse / keyboard to operate two computers with dual display
- Supports a maximum UHD resolution of 4K / 30 Hz + FreeSync
- USB ports for mouse and keyboard
- Audio connections for microphone/speaker, supports Dolby True HD and DTS HD Master Audio
- Integrated USB hub with USB A port for additional peripheral equipment
- Switching between the PCs via switch on the KVM switch or hot key on the keyboard
- LED status and functional displays on the front side + OSD display
- Laborious replugging of connection cables no longer necessary
- Real Plug and Play - no software or driver installation required (BIOS hardware connection)
- Sturdy metal housing

MORE PRODUCT INFORMATION

77,59 €

Quantity

To cart



Recommended order quantity for whole packaging unit: **1 pieces**

Datasheet Download (https://www.assmann.com/product-pdf/4016032467168?PL=en)

Add to wish list (https://de.assmann.shop/index.php?lang=1&cl=details&aid=deaa2adf0a7c2346b0df815872c552fd&anid=deaa2adf0a7c2346b0df815872c552fd&nc=tonotocelist&am=1&actcontrol=amwsajax&stoken=864BD0)

lang=1&cl=details&aid=deaa2adf0a7c2346b0df815872c552fd&anid=deaa2adf0a7c2346b0df815872c552fd&nc=tonotocelist&am=1&actcontrol=amwsajax&stoken=864BD0)

Availabilities

- in **CW10** available: **0**
- in **CW11** available: **0**
- in **CW12** available: **0**

Availability inquiry (/index.php?cl=availabilityinquiry&oxid=deaa2adf0a7c2346b0df815872c552fd)

DESCRIPTION

With the DIGITUS® 2-Port KVM Switch for dual displays, you can operate two 4k-compatible PCs using a single USB keyboard and mouse combination. By pressing a button or hot key, you can switch comfortably between the two PCs and are spared the trouble of replugging all cables. Output on up to two monitors is provided via two HDMI® outputs on the rear side. You can also switch between the audio signals for the microphone and speaker. In addition, a USB port is included on the front side for use with other peripheral devices like USB sticks or external hard drives on both PCs. The connected peripheral devices are each assigned to the active PC. Status LEDs on the front side of the switch show you the current configuration at all times. The slim switch features the added benefits of sturdy metal housing.

TECHNICAL DETAILS

- UHD resolution: 4K / 30 Hz (3840 x 2160p) / Subsampling: YUV 4:4:4
- Inputs: 4 x HDMI® inputs (2x2), 2 x USB B, 2 x audio combo socket 3.5 mm jack (microphone, speaker)
- Outputs (console): 2 x HDMI®, 2 x USB A (mouse, keyboard), 2 x Stereo Audio 3.5 m jack (microphone, speaker)
- Additional connection on the front side: 1 x USB A for additional peripheral equipment such as printers or USB sticks
- HDMI® version: 1.4b
- USB specifications: USB 2.0 compliant (full speed)
- Supports audio formats: Dolby True HD, DTS HD Master Audio
- Switching between the PCs: Switch on the front side or hot keys
- Status LED on front side shows current configuration
- The device is platform-independent, suitable for all operating systems
- Operating temperature: 0 °C ~ 80 °C
- Storage temperature: -20 °C to +60 °C
- Operating humidity: 0% - 80% RH (non-condensing)
- Case material: Metal
- Power supply device: USB power supply or optional 9 V DC power adapter
- Dimensions: 13.2 x 9.2 x 6.6 cm (WxDxH)
- Weight: 575 g

PACKAGE CONTENT

- 1 x KVM Switch, 2-Port, Dual Display, 4K, HDMI®
- 2 x HDMI® cable
- 2 x KVM cable (HDMI, USB, Audio)
- 1 x QIG

DOWNLOADS AND CERTIFICATES**Certificate**

- ext. Link (<https://secure.productip.com/public/view/file/id/104F73>)

QIG

- English (https://ftp.assmann.com/pub/DS-/DS-12860__4016032467168/DS-12860_qig_en_English_20221025.pdf?nodl=1)
- Italian (https://ftp.assmann.com/pub/DS-/DS-12860__4016032467168/DS-12860_qig_it_Italian_20221025.pdf?nodl=1)
- Polish (https://ftp.assmann.com/pub/DS-/DS-12860__4016032467168/DS-12860_qig_pl_Polish_20221025.pdf?nodl=1)
- German (https://ftp.assmann.com/pub/DS-/DS-12860__4016032467168/DS-12860_qig_de_German_20221025.pdf?nodl=1)
- Turkish (https://ftp.assmann.com/pub/DS-/DS-12860__4016032467168/DS-12860_qig_tr_Turkish_20221025.pdf?nodl=1)
- Spanish (https://ftp.assmann.com/pub/DS-/DS-12860__4016032467168/DS-12860_qig_es_Spanish_20221025.pdf?nodl=1)
- French (https://ftp.assmann.com/pub/DS-/DS-12860__4016032467168/DS-12860_qig_fr_French_20221025.pdf?nodl=1)

LOGISTICS

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	12	15,10	39,50	45,00	48,00	85.320,00
Packaging Unit Inside	1	1,26	0,00	0,00	0,00	0

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Single	1	1,26	18,50	22,50	9,30	3.871,13

Customs tariff number: 8471800000

Customers who bought this product also bought

Installation Cables



(<https://de.assmann.shop/en/Copper-Network-Technology/Network-Cables/Installation-Cables/Cat-7-S-FTP-burial-installation-cable-1000-m-simplex-PE.html>)

Cat. 7 S/FTP burial installation cable, 1000 m, simplex, PE (<https://de.assmann.shop/en/Copper-Network-Technology/Network-Cables/Installation-Cables/Cat-7-S-FTP-burial-installation-cable-1000-m-simplex-PE.html>)

CAT 7 S-FTP outdoor installation cable, 1200 MHz PE, inner Eca (LSZH), AWG 23/1,1000m, sx, bl&pu

DK-1741-VH-10-OD

644,53 €

87 pieces

1 To cart

Patch Cords - CAT 6



(<https://de.assmann.shop/en/Copper-Network-Technology/Network-Cables/Patch-Cords-CAT-6/CAT-6-U-UTP-patch-cord-LSZH-var-9.html>)

CAT 6 U/UTP patch cord - LSZH (<https://de.assmann.shop/en/Copper-Network-Technology/Network-Cables/Patch-Cords-CAT-6/CAT-6-U-UTP-patch-cord-LSZH-var-9.html>)

CAT 6 U-UTP patch cord, Cu, LSZH AWG 26/7, length 10 m, color grey

DK-1617-100

Loading...

Loading...

7 To cart

HDBaseT



(<https://de.assmann.shop/en/Video-and-Audio/Video-Extenders/HDBaseT/4K-HDMI-Extender-Set-HDBaseT-4K-30Hz-70-m.html>)

4K HDMI Extender Set, HDBaseT™, 4K/30Hz, 70 m (<https://de.assmann.shop/en/Video-and-Audio/Video-Extenders/HDBaseT/4K-HDMI-Extender-Set-HDBaseT-4K-30Hz-70-m.html>)

4K HDMI Extender Set, HDBaseT, UHD 4K*2K@30Hz 70m over network cable (Cat 5E, 6, 7)

DS-55500

Loading...

Loading...

7 To cart

Network Outlets (Keystone)



(<https://de.assmann.shop/en/Copper-Network-Technology/Modular-Connection-Technology/Network-Outlets-Keystone/Wallplate-for-Keystone-Modules-German-type-middle-plate-50x50-mm-frame-80x80-mm-var.html>)

Wallplate for Keystone Modules, German type, middle plate 50x50 mm, frame 80x80 mm (<https://de.assmann.shop/en/Copper-Network-Technology/Modular-Connection-Technology/Network-Outlets-Keystone/Wallplate-for-Keystone-Modules-German-type-middle-plate-50x50-mm-frame-80x80-mm-var.html>)

Faceplate for Keystone Jacks, 2x RJ45 dust cover, 80x80 + central plate, pure white

DN-93801-1

Loading...

Loading...

7 To cart

USB



(<https://de.assmann.shop/en/Cables-and-Adapters/USB-Cables/USB/USB-Type-C-Adapter-USB-A-USB-C.html>)

USB Type-C Adapter, USB A - USB-C (<https://de.assmann.shop/en/Cables-and-Adapters/USB-Cables/USB/USB-Type-C-Adapter-USB-A-USB-C.html>)

USB Type-C adapter, type A to C M/F, 3A, 5GB, 3.0 Version, bl

AK-300524-000-S

Loading...

Loading...

1 To cart

CATEGORIES

- [IT Infrastructure](https://de.assmann.shop/en/IT-Infrastructure/)
- [Copper Network Technology](https://de.assmann.shop/en/Copper-Network-Technology/)
- [Fiber Optic Network Technology](https://de.assmann.shop/en/Fiber-Optic-Network-Technology/)
- [Active Network Components](https://de.assmann.shop/en/Active-Network-Components/)
- [Cables and Adapters](https://de.assmann.shop/en/Cables-and-Adapters/)
- [Video and Audio](https://de.assmann.shop/en/Video-and-Audio/)
- [Ergonomics](https://de.assmann.shop/en/Ergonomics/)
- [Computer and Office](https://de.assmann.shop/en/Computer-and-Office/)
- [Building Technology](https://de.assmann.shop/en/Building-Technology/)
- [E-Mobility](https://de.assmann.shop/en/E-Mobility-var/)

ACCOUNT

- [My account](https://de.assmann.shop/index.php?lang=1&cl=account)
- [My wish list](https://de.assmann.shop/index.php?lang=1&cl=account_noticelist)
- [My arrears](https://de.assmann.shop/index.php?lang=1&cl=um_usercustom_user_arrears)
- [My invoices](https://de.assmann.shop/index.php?lang=1&cl=um_usercustom_user_invoices)
- [Apply for an access](https://de.assmann.shop/index.php?lang=1&cl=register)

COMPANY

- [About ASSMANN](https://www.assmann.com/en)
- [About DIGITUS®](https://www.digitus.info/en)

SOCIAL MEDIA

ASSMANN Electronic GmbH



(<https://www.linkedin.com/company/assmann-electronic-gmbh>)



(<https://www.youtube.com/channel/UCArfrevRrvnyA9A0dhWqCRg>)



(<https://www.instagram.com/assmanngroup/>)

DIGITUS®



(https://www.linkedin.com/showcase/digitus_by-assmann)



(<https://www.youtube.com/user/AssmannDIGITUS>)



(<https://www.instagram.com/digitus/>)

www.instagram.com/digitus/