







CASTOR CAN BE PREFERRED AS AN OPTION.

Front View




Side View




Rear View




Top View




Bottom View



Front View



Side View



<b>MATERIAL:</b> 1.2 mm Steel / Powder Coating RAL9005 / RAL7035				
<b>Load Capacity:</b> 1000kg				
<b>STANDARD TYPE PRODUCT CODES</b>	<b>DIMENSIONS(mm)</b>			
<b>Size</b>	<b>W</b>	<b>H</b>	<b>D</b>	<b>X</b>
<b>MR.GTN12U68.XX</b>	600mm	684mm	800mm	594mm
<b>MR.GTN16U68.XX</b>	600mm	861mm	800mm	771mm
<b>MR.GTN20U68.XX</b>	600mm	1039mm	800mm	949mm
<b>MR.GTN22U68.XX</b>	600mm	1128mm	800mm	1038mm
<b>MR.GTN26U68.XX</b>	600mm	1306mm	800mm	1216mm
<b>MR.GTN32U68.XX</b>	600mm	1573mm	800mm	1483mm
<b>MR.GTN36U68.XX</b>	600mm	1750mm	800mm	1660mm
<b>MR.GTN40U68.XX</b>	600mm	1928mm	800mm	1838mm
<b>MR.GTN42U68.XX</b>	600mm	2017mm	800mm	1927mm
<b>MR.GTN46U68.XX</b>	600mm	2195mm	800mm	2105mm
<b>PRODUCT CODES WITH %63 PERFORATED DOOR OPTIONS AND DESCRIPTION</b>				
<b>XX_PRF63</b>	Front Single Perforated-Rear Double Perforated			
<b>XX_OPRF63</b>	Front Single Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_ODPRF63</b>	Front Double Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_APRF63</b>	Rear Single Perforated-Front Glass (W600 Single / W800 Double)			
<b>XX_ADPRF63</b>	Rear Double Perforated-Front Glass (W600 Single / W800 Double)			
<b>XX_OADPRF63</b>	Front Double Perforated-Rear Double Perforated			
<b>XX_OAPRF63</b>	Front Single Perforated-Rear Single Perforated			
<b>XX_ODAPRF63</b>	Front Double Perforated-Rear Single Perforated			
<b>XX_NOPRF63</b>	Angled Front Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_NPRF63</b>	Angled Front Perforated-Rear Double Perforated			
<b>PRODUCT CODES WITH %80 PERFORATED DOOR OPTIONS</b>				
<b>XX_PRF80</b>	Front Single Perforated-Rear Double Perforated			
<b>XX_OPRF80</b>	Front Single Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_ODPRF80</b>	Front Double Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_APRF80</b>	Rear Single Perforated-Front Glass (W600 Single / W800 Double)			
<b>XX_ADPRF80</b>	Rear Double Perforated-Front Glass (W600 Single / W800 Double)			
<b>XX_OADPRF80</b>	Front Double Perforated-Rear Double Perforated			
<b>XX_OAPRF80</b>	Front Single Perforated-Rear Single Perforated			
<b>XX_ODAPRF80</b>	Front Double Perforated-Rear Single Perforated			
<b>XX_NOPRF80</b>	Angled Front Perforated-Rear Solid Metal (W600 Single / W800 Double)			
<b>XX_NPRF80</b>	Angled Front Perforated-Rear Double Perforated			

