

# Delock Adapter HDMI-A male to USB Type-C<sup>™</sup> female (DP Alt Mode) 4K 60 Hz

## Description

This adapter by Delock enables the connection of **a USB Type-C<sup>TM</sup>** (**DisplayPort Alternate Mode**) monitor to a free HDMI interface of a PC or laptop. The adapter will be connected to the HDMI connector of the PC or laptop and connected with an existing USB-C<sup>TM</sup> cable.



Item no. 63251

EAN: 4043619632510 Country of origin: China Package: Retail Box

# **Technical details**

- Connectors: Input:
  1 x HDMI-A male
  1 x USB Type Micro-B female (5 V power supply) Output:
  - 1 x USB Type-C<sup>™</sup> female
- Chipset: Lontium LT6711A
- DisplayPort 1.2 and High Speed HDMI specification
- Signal direction: HDMI input > USB Type-C<sup>™</sup> output
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports HDCP 1.4 and 2.2
- Supports HDR
- Supports 3D displays
- Colour: black
- Cable length without connectors: ca. 24 cm

#### **DATASHEET**



#### System requirements

- A free HDMI-A female
- Monitor with a free USB Type-C<sup>™</sup> (DP Alt Mode) interface

### Package content

- Adapter HDMI to USB Type-C™
- USB Type Micro-B to Type-A cable, length ca. 1 m

#### Images





#### General

Function:	HDR / HDR10	
Interface		
Output:	1 x USB Type-C™ female	
Input:	1 x HDMI-A male 1 x USB Type Micro-B female (5 V power supply)	

# **Technical characteristics**

Chipset:	Lontium LT6711A
Maximum screen resolution:	3840 x 2160 @ 60 Hz

#### Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de