


# Delock PCI Express x4 Card 1 x SFP+ 10 Gigabit LAN TN4010

## Description

This PCI Express network card by Delock provides a connection for an SFP+ module with a transfer rate of 10 Gbps. The SFP slot accepts an optional 10 Gigabit SFP+ module by Delock to connect a PC via a fiber optic cable to the network.



**Item no. 89475**

EAN: 4043619894758

Country of origin: China

Package: White Box

## Specification

- Connectors:  
internal: 1 x PCI Express x4, V2.0  
external: 1 x SFP slot for 10 Gbps SFP+ module
- Chipset: Tehuti TN4010
- Data transfer rate:  
10 Gigabit Ethernet up to 10 Gbps  
PCI Express x4 up to 16 Gbps
- Supports 16k Jumbo Frames
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports IEEE 802.3ad Link Aggregation

## System requirements

- Linux Kernel 2.6.24 or above
- Windows Server 2008 R2/Server 2012/Server 2012 R2
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

- 10 Gbps SFP+ module


---

## Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

---

## Images



## General

Supported operating system:	Linux Kernel 2.6.24 Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8 32-bit Windows 8 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2008 R2 Windows Server 2012 R2 Windows Server 2012 Windows 11
-----------------------------	--

## Interface

External:	1 x 10 Gigabit LAN SFP+ port
Internal:	1 x PCI Express x4, V2.0

## Technical characteristics

Chipset:	Tehuti TN4010
Data transfer rate:	Gigabit Ethernet up to 10 Gbps

## Physical characteristics

Slot bracket:	Low Profile standard
---------------	----------------------